



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/779,648

02/18/2004

Der-Zheng Liu

BHT-3111-420

8923

27765

7590

03/24/2008

NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION
P.O. BOX 506
MERRIFIELD, VA 22116

EXAMINER

PATHAK, SUDHANSHU C

ART UNIT

PAPER NUMBER

2611

NOTIFICATION DATE

DELIVERY MODE

03/24/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

winstonhsu.uspto@gmail.com

Patent.admin.uspto.Rcv@naipo.com

mis.ap.uspto@naipo.com.tw

Office Action Summary	Application No. 10/779,648	Applicant(s) LIU ET AL.	
	Examiner SUDHANSHU C. PATHAK	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on February 18th, 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☒ Claim(s) 24-29 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on February 18th, 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-29 are pending in the application.

Drawings

2. Figure 1 should be labeled by a legend such as "Prior Art" since only that which is known is illustrated. Correction is required.

Claim Objections

3. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claim 25 has been renumbered as claim 24. Furthermore, the subsequent (original) claims 26-30, have been renumbered as claims 25-29 respectively.

4. Claim objected to because of the following informalities:

Based on the above renumbering the dependencies of the claims have to be changed.

Misnumbered claim 25 (renumbered as claim 24) is dependent on Claim 20.

Misnumbered claim 27 (renumbered as claim 26) is dependent on renumbered claim 25.

Misnumbered claims 29-30 (renumbered as claims 28-29 respectively) is dependent on renumbered claim 27.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1, 3-7, 12-13, 15, 18 (apparatus) & 20-21, 23-26 (method) are rejected under 35 U.S.C. 102(b) as being anticipated by Masato et al. (Japanese Publication Number: 2001-053712 (English machine translation)).

In regards to Claims 1, 4-5, 12, 15, 18, 20 & 23-26, Masato discloses an apparatus (method) for carrier frequency offset compensation at a receiver of a communication system (Drawing 3), wherein a symbol signal modulated by a carrier is transmitted via a plurality of subchannels (Paragraph 2) {Interpretation: The reference discloses an OFDM technique which transmits a symbol via plurality of subchannels}, wherein the symbol signal comprises a pilot signal and the subchannels comprise at least a pilot subchannel for transmitting the pilot signal (Paragraph 3, lines 7-21 & Paragraph 20 & Drawing 3, elements 204, 207) {Interpretation: The reference discloses a pilot subcarrier for transmitting a pilot signal}, the apparatus comprising: a pilot subchannel estimator for generating an estimated frequency response of the pilot signal (Drawing 3, element 203 &

Paragraph 20, lines 4-8 & Paragraph 3, lines 15-19) {Interpretation: the reference discloses determining the channel transfer function for every subcarrier including each pilot subcarrier, thus also for a plurality of subcarriers}; a frequency offset estimator, coupled to the pilot subchannel estimator, for generating an estimated carrier frequency offset according to a phase error of the estimated frequency response of the symbol signal and a following symbol signal (Drawing 3, element 204-205 & Drawing 4, elements 304, 306-308 & Paragraph 20, lines 8-12 & Paragraph 21 & Paragraph 25, lines 8-11 & Paragraph 3, lines 21-24); a phase accumulator, coupled to the frequency offset estimator, for calculating an accumulated phase rotation according to the estimated carrier frequency offset (Drawing 4, element 309); and a phase rotator, coupled to the phase accumulator, for carrier frequency offset compensation according to the accumulated phase rotation (Drawing 3, element 206 & Drawing 4, element 305 & Paragraph 20, lines 12-14 & Paragraph 21 & Paragraph 25, lines 15-20 & Paragraph 26).

In regards to Claims 3, 13 & 21, Masato discloses an apparatus for carrier frequency offset compensation at a receiver of a communication system as described above. Masato further discloses the phase rotator for carrier frequency offset compensation is executed in frequency-domain (Drawing 3, elements 202, 206).

In regards to Claims 6-7, Masato discloses an apparatus (method) for phase compensation at a receiver of a communication system (Drawing 3), wherein a symbol signal modulated by a carrier is transmitted via a plurality of subchannels

(Paragraph 2) {Interpretation: The reference discloses an OFDM technique which transmits a symbol via plurality of subchannels}, wherein the symbol signal comprises a pilot signal and the subchannels comprise at least a pilot subchannel for transmitting the pilot signal (Paragraph 3, lines 7-21 & Paragraph 20 & Drawing 3, elements 204, 207) {Interpretation: The reference discloses a pilot subcarrier for transmitting a pilot signal}, the apparatus comprising: a carrier frequency offset compensator to perform a carrier frequency offset compensation on the symbol signal (Drawing 3, element 201 & Drawing 4, element 301); a channel compensator to perform a channel compensation on the symbol signal (Drawing 3, element 203) {Interpretation: the reference discloses determining the channel transfer function for every subcarrier including each pilot subcarrier, thus also for a plurality of subcarriers}; a phase error estimator for extracting the pilot signal and generating an estimated residual phase error between the extracted pilot signal and an original pilot signal (Drawing 3, element 204-205 & Drawing 4, elements 304, 306-308 & Paragraph 20, lines 8-12 & Paragraph 21 & Paragraph 25, lines 8-11 & Paragraph 3, lines 21-24); a buffer for storing the estimated residual phase error (Drawing 4, element 309); and a phase rotator, coupled to the buffer, for compensating a following symbol signal according to the estimated residual phase error (Drawing 3, element 206 & Drawing 4, element 305 & Paragraph 20, lines 12-14 & Paragraph 21 & Paragraph 25, lines 15-20 & Paragraph 26).

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 2, 14 (apparatus) & 22 (method) are rejected under 35 U.S.C. 103(a) as being unpatentable over Masato et al. (Japanese Publication Number: 2001-053712 (English machine translation)) in view of Frank et al. (7,324,599).

In regards to Claims 2, 14 & 22, Masato discloses an apparatus (method) for carrier frequency offset compensation at a receiver of a communication system as described above. However, Masato does not disclose the phase rotator for carrier frequency offset compensation is executed in time-domain.

Frank discloses an apparatus (method) and apparatus for correcting the frequency deviations of signals in a multicarrier system, such as an OFDM-system (Abstract, lines 1-5 & Column 1, lines 25-40 & Column 2, lines 22-30). Frank further discloses the phase rotator for carrier frequency offset compensation is executed in time-domain (Abstract, lines 6-20 & Fig. 3, elements 16, 24, 6 & Column 5, lines 4-12, 53-60). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention that Frank teaches the phase rotator for carrier frequency offset compensation is executed in time-domain and this is implemented in the apparatus as described in Masato so as to be able to perform frequency offset

compensation before performing OFDM demodulation so as to determine a more accurate data and reduce the effects of demodulation on the frequency offset.

9. Claims 9-11 (apparatus) & 27-29 (method) are rejected under 35 U.S.C. 103(a) as being unpatentable over Masato et al. (Japanese Publication Number: 2001-053712 (English machine translation)).

In regards to Claims 9-11 & 27-29, Masato discloses an apparatus (method) for phase compensation at a receiver of a communication system (Drawing 3), wherein a symbol signal modulated by a carrier is transmitted via a plurality of subchannels (Paragraph 2) {Interpretation: The reference discloses an OFDM technique which transmits a symbol via plurality of subchannels}, wherein the symbol signal comprises a pilot signal and the subchannels comprise at least a pilot subchannel for transmitting the pilot signal (Paragraph 3, lines 7-21 & Paragraph 20 & Drawing 3, elements 204, 207) {Interpretation: The reference discloses a pilot subcarrier for transmitting a pilot signal}, the apparatus comprising: a carrier frequency offset compensator to perform a carrier frequency offset compensation on the symbol signal (Drawing 3, element 201 & Drawing 4, element 301); a channel compensator to perform a channel compensation on the symbol signal (Drawing 3, element 203) {Interpretation: the reference discloses determining the channel transfer function for every subcarrier including each pilot subcarrier, thus also for a plurality of subcarriers}; a phase error estimator for extracting the pilot signal and generating an estimated residual phase error between the extracted pilot signal and an original pilot signal (Drawing 3, element 204-205 & Drawing 4, elements 304, 306-308 &

Paragraph 20, lines 8-12 & Paragraph 21 & Paragraph 25, lines 8-11 & Paragraph 3, lines 21-24); a buffer for storing the estimated residual phase error (Drawing 4, element 309); and a phase rotator, coupled to the buffer, for compensating a following symbol signal according to the estimated residual phase error (Drawing 3, element 206 & Drawing 4, element 305 & Paragraph 20, lines 12-14 & Paragraph 21 & Paragraph 25, lines 15-20 & Paragraph 26). However, Masato does not explicitly disclose a buffer for storing the symbol signal after carrier frequency offset compensation. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that there is no criticality in storing the symbol signal in a buffer after carrier frequency offset, this is a matter of design choice based on the ability to store the data for processing not in real-time, with increased processing.

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUDHANSHU C. PATHAK whose telephone number is (571)272-5509. The examiner can normally be reached on 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh M. Fan can be reached on 571-272-3042.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sudhanshu C Pathak/
Primary Examiner, Art Unit 2611